

Scientific design, exquisite  
craftsmanship, reliable safety, and elegant,  
sophisticated appearance



The one stop service for all your housing project needs



**Add1:** No. 7 Xiebian Liangbian Industrial Zone, Dali Town, Nanhai District, Foshan City,  
Guangdong Province, China



**Add1:** Guangmei Road Qianlin Industrial Park, Huzhen, Boluo County, Huizhou City,  
Guangdong Province, China



**Email:** [market@williamarchi.com](mailto:market@williamarchi.com)

Whatsapp: +86 13088859386



**Tel:** 0086 0755-23696342



**Web:** [williamarchi.com](http://williamarchi.com)



# GARAGE DOOR

WILLIAMARCHI LIMITED


The one stop service for all your housing  
project needs



FACTORY



HOW TO ORDER







# CONTENTS

ALUMINUM ALLOOY GLY GLASS GARAGE DOOR	03	INDUSTRIAL DOOR OPEN THE DOOR MACHINE	59
FRAMELESS GLASS GARAGE DOOR	07	THE FLAP GARAGE DOOR FITTING SERIES	60
ALUMINUM PLAATE FILLED PU FOAM GARAGE DOOR	13	ALUMINUM ALLOY CRYSTAL FOLDING DOOR	61
STEEL PLATE TILTING GARAGE DOOR	23	ALUMINUM ROLLING GATES	63
EUROPEAN-STYLE FLIP-OVER GARAGE DOOR	29	ALUMINUM INDUSTRIAL DOORS	73
STAINLESS STEEL FLIP-OVER GARAGE DOOR	31	SCREENS DOORS MOTOR	74
STEEL PLATE TILTING GARAGE DOOR	33	ALUMINUM ALLOY DOORS AND WINDOWS SERIES	76
ALUMINUM ALLOY GARAGE DOOR	37	GROOVE,THE BEAM SERIES	79
ALUMINUM ALLOY SIDE SLIDING DOOR	45	SCREENS DOORS, WINDOWS ACCESSORIES SERIES	80
UMINIUM ALLOY GRILLE GARAGE DOOR	46	AIUMINUM THROUGH HOIE VALVE SERIES	81
ALUMINIUM ALLOY DOOR PANORAMIC PERSPECTIVE	47	GALUMINUM GENERAL PATTERN VALVE SERIES	83
FAST DOOR	51	ALUMINUM LUXURIOUS CRYSTALDOOR SERIES	84
HARD QUICK DOOR	53	CRYSTAL GATE	85
STEEL FIRE DOOR, INDUSTRIAL DOOR	55	ALUMINUM ALLOY THROUGH-FLOWERED BRAKE	86
THE FLAP GARAGE DOOR INSTALLATION DRAWING	57	ALUMINUM ALLOY SINGLE-LAYER PERFORATED ROLLING SHUTTER DOOR	87
THE FLAP OPEN THE GARAGE DOOR	58	CONDUCT A CLIENT VISIT	58




## ALUMINUM ALLOY GLASS GARAGE DOOR





## ALUMINUM ALLOY GLASS GARAGE DOOR





## ALUMINUM ALLOY GLASS GARAGE DOOR





## FRAMELESS GLASS GARAGE DOOR

Their seamless elegance expands visual space while insulating against elements—transforming functional entry into a luminous architectural sculpture where security meets sophistication.





## FRAMELESS GLASS GARAGE DOOR





## FRAMELESS GLASS GARAGE DOOR





## ALUMINUM PLATE FILLED PU FOAM GARAGE DOOR



These precision-engineered panels defy extreme weather with silent efficiency—redefining durability through cutting-edge material synergy.





## ALUMINUM PLATE FILLED PU FOAM GARAGE DOOR





## ALUMINUM PLATE FILLED PU FOAM GARAGE DOOR





## ALUMINUM PLATE FILLED PU FOAM GARAGE DOOR





STEEL PLATE TILTING GARAGE DOOR

THE DOOR STRUCTURE



SMALL RIPPLE



DORSAL RIBS



HIGH BACK RIBS



ORDINARY DOOR STRUCTURE  
DIAGRAM




HAND CLAMPING PREVENTION  
DOOR STRUCTURE DIAGRAM



CLASSICAL RECTANGULAR



3D LUXURY




EUROPEAN ELEGANCE




BARK WAVE



ORANGE PEEL  
CORRUGATED



FLAT TYPE



A LINEAR



THREE LINEAR



3D WATERMARK



3D WATERMARK

THE DOOR STRUCTURE



## STEEL PLATE TILTING GARAGE DOOR



Flip-over garage door with its classic stylish luxury Appearance, scientific and reasonable material structure, convenient fast humanized operation and other features in the garage door. The family has been selling well for decades, leading the pack.



## STEEL PLATE TILTING GARAGE DOOR



According to the customer demand, in the ga-roge door window on besides can install perspec tive outside, still can install small doors. convenient access.



Anti junction clamp handsping garage door, safety has safeguard



The European safety standard production hand clamping pevention garage door, also need not worry again hurt you hand.



## STEEL PLATE TILTING GARAGE DOOR



Flip -over garage door with its classic st-ylish luxury Appearance, scientific and rea-sonable material structure,convenient Fasthumanized operation and other features inthe garage door The family has been sellingwell for decades, leading the pack.





## EUROPEAN-STYLE FLIP -OVER GARAGE DOOR



The front and back of the ga-rage door is made of high qualityboard, with polyurethane foami-ng in the middle, Unique appea-rance, novel style,It is widely usedin elegant and luxurious villas.





Turning to the classical fashion garage door luxury appearance,  
reasonable structure, convenient operation, etc. in the garage door in the family sold for decades, clueless.



## STAINLESS STEEL FLIP-OVER GARAGE DOOR

stainless steel flip garage door with vogue, high quality as the design concept, selected imports of stainless steel plate suppression and become, center, set a polyurethane foam filled steel door and ordinary choi steel garage door advantages at an organic whole, fashionable nobility, the surface is exquisite, simple sense is thick, it has stronger anticorrosive. antirust function, novel style and generous, widely used in all kinds of elegant, fashionable and luxurious villas, effect nobility elegance, is honourable style of choice.



# STEEL PLATE TILTING GARAGE DOOR



## COLOR CLASSIFICATION



Porcelain white



Cream-color



Black walnut



brown



Wood grain color



browstainless steeln



Light grey



Fire red



# STEEL PLATE TILTING GARAGE DOOR



## STEEL PLATE TILTING GARAGE DOOR WINDOW STYLE PERSPECTIVE



The sun



Five horn



Room



Mountain



Rhombus



Cross



Square cross



The fan



Sunrise



Fan runs



Radiation



Europe window



Tainless steel window



Plastic shutter



Aluminum alloy shutter



Shift perspective window



Soft rubber strip window



Round window



PP large window



PP small window






## ALUMINUM ALLOY GARAGE DOOR

aluminum alloy flap garage door USEs high-gradealuminium alloy profile production, flowery colour, modelling beautiful, structured and aluminium surface can cho-ose electrostatic powder spraying mu wen, silvery white. gold etc, the surface is exquisite drawing feel smooth, c.olor jade do not fade, coating fenced off, has the goodanticorrosive, antirust properties, novel style and generous,widely used in all kinds of decorous, the luxurious villa, t-he effect is pure and fresh and elegant, is honourable.quietly elegant style of choice.



## ALUMINUM ALLOY GARAGE DOOR



## 《 DESIGN 》

Aluminum alloy upturned garage door can open perspective window, light transmission





## ALUMINUM ALLOY GARAGE DOOR





《DESIGN》METHOD



ALUMINUM ALLOY GARAGE DOOR

aluminum alloy flap caroce door USES hicharade aluminium aloy profie production, flowery colour, modeling beautiful, stru.ctured and aluminlum surace can choose electrostatic powder sprovincia mu wen, sivery white, aold etc, the surace is exouisite drawing feel smooth, color jade do not fade, coating fenced of, has the good anticorrosive, antirust properties.

COLOR CLASSIFICATION



Electrophoresis of champagne



Yellow wood grain color



Electrophoretic champagne gold rim



Electrophoretic silver white champagne



Spraying white



Red wood grain color



Electrophoresis silvery white



Electrophoretic bronze



Antiaue brass wire drawind



Red wood grain color



The perspective window





The perspective window



## ALUMINUM ALLOY SIDE SLIDING DOOR

Aluminum alloy side sliding door precision forging, save space, side sliding quiet smooth operation, special groove to improve the strength of profiles.




## ALUMINUM ALLOY SIDE SLIDING DOOR

Aluminum alloy grille garage door made of high-grade aluminum alloy profiles, colorful, beautiful shape.



## ALUMINIUM ALLOY DOOR PANORAMIC PERSPECTIVE



Safety airbags as standard configuration for industrial doors



Concealed joint design between door panels

SAFETY  
BEAUTIFUL  
STABLE




Adjustable bottom supporter, in order to no lon-ger have a wire rope andthe elastic torsion springoose set of doors, screw,easily






## ALUMINIUM ALLOY DOOR PANORAMIC PERSPECTIVE



Industrial perspective  
door with different  
colors customized for  
you different landscapes





## FAST DOOR




## COLOR CLASSIFICATION



Light blue



Orange



gray



Yellow




Navy Blue



red

### FAST DOOR

Fast gate is controlled by PLC, inverter, encoder (Pvc materiall quicklifting curtain is designed for the rapid flow of material, toshorten the in and out of time, Has the characteristics of fast, safe, reliable and so on.



Fast door electrical Appliances



Fast door brush



## HARD QUICK DOOR



Radar induction door



Infrared photoelectric protection

### Roller rigid quick door

A new type of metal door that integrates fast, energy-saving, door seal, high efficiency, wind resistance and environmental protection. Up to 1.2 m, suitable for frequent and high-speed logistics channels. The door has good sealing and reduces air circulation. The door panel is made of all-aluminum alloy. The 15mm thickness is more exquisite and takes up less space.



spiral rigid fast door--a new type of metal industrial door that integrates heat preservation, energy saving, sealing, high efficiency, wind resistance and environmental protection. Bridge type aluminum alloy insulation material, bare steel without painted galvanized sheet body frame, aluminum alloy double helix turbine guide rail, door body can open perspective window,




POWEVER high efficiency servo motor the running speed is adjustable



POWEVER servo control system Both can achieve double door interlock function



## STEEL FIRE DOOR, INDUSTRIAL DOOR




## STEEL FIRE DOOR, INDUSTRIAL DOOR

The industrial vertical lifting doors are manufactured in accordance with the international standards. The years of experience in production and installation have made the products of XinXin show excellent safety and reliability.






## THE FLAP GARAGE DOOR INSTALLATION DRAWING



## THE FLAP GARAGE DOOR ASCENSION MEANS GRAPHIC



## THE FLAP OPEN THE GARAGE DOOR

Performance characteristics:

- Excellent quality, complete functions: power, memory, and lock the door. Breakdown self check... Function
- The door in any open position blackout, close the door can realize locking, let you no longer for power cuts can't lock the door worrying.

Applicable scope:

- Company, design and development of the garage door, integrated motor control system for wireless remote control, electronic schedule, safety protection function, with simple installation, configuration quick, convenient use, etc. Widely used in remote garage door opening drive system.



SOMMER



Germany Suolla SOMMER garage door motor and remote garage doors is the world's most famous home automation industry brand one. Intelligent integration of Germany SuoMa SOMER motor: powerful, fast, use the most safe!

German technology and European brand, reasonable price, energy security, the function is all ready, high-quality service.



## INDUSTRIAL DOOR OPEN THE DOOR MACHINE




The Industrial door hinges flooding type electrical engineering convenient installation, take up the space is little, smooth operation.



Drive deceleration, linear actuation adjustment the entire thread regulation, Iron copper powder alloy oil retaining bearing, Photo-electronic controller. Applicable for vertical industrial promotion of the door.

## INDUSTRIAL DOOR INSTALLATION DIAGRAM




## THE FLAP GARAGE DOOR FITTING SERIES



The flap garage door aluminum alloy parts



The flap garage door stainless steel fittings



- The flap garage door galvanized, spray accessories
- Variety of garage doors, hardware accessories, industrial door for each set of door of the safe and stable operation of the perfect design, and provides the reliable guarantee.



## ALUMINUM ALLOY CRYSTAL FOLDING DOOR



The aluminum alloy crystal folding door is made of high grade aluminum alloy profile and high strength PC board, Can be pushed to the side, less space. It has been widely used in office, workshop and large area for insulation, insect, dust, shelter and isolation



THE DETAILS  
SHOW







## ALUMINUM ROLLING GATES

Brand aluminium all-oy door with the use of high quality aluminum alloy and refined. The aluminum company after years of torch-plan, has its unique alloy formula, rolling door profiles of hardness, flexibility and elasticity has reached domestic aluminum technology the commanding heights. The surface of powder electrostatics praying, sublimation mu wen, electrophoresis, anodic oxidation of advanced technology, and coloring colour and lustre is delicious, do not fade, afford stories, not yellow to become, dur-able, fully reflect master grade, make buildings honourable collaborately, more show luxurious style. brand aluminium alloy door production craft is rigorous, silencing bar and sealing yards are select high-quality primary glue production, quieter, more lubrication and more beautiful, ensure worry-free.





## ALUMINUM ROLLING GATES

Aluminum alloy rolling doors are exquisitely crafted from high-quality aluminum alloy. The hardness, flexibility and elasticity of the rolling door profiles have reached the pinnacle of domestic aluminum industry technology. The surface adopts advanced processes such as powder electrostatic spraying, thermal transfer wood grain, electrophoresis, and anodic oxidation coloring. It features bright colors, no fading, no delamination, no yellowing, and long durability. These characteristics fully reflect the owner's noble taste, add brilliance to the building, and enhance its luxurious style.



The production process of aluminum alloy rolling doors is rigorous. Both the sound-absorbing strips and sealing codes are made of high-quality virgin rubber, which ensures quieter operation, smoother performance, more elegant appearance, and eliminates any worries for users.



## ALUMINUM ROLLING GATES



Aluminum alloy shutter doors can be customized according to customer requirements for different colors, beautiful colors, to give you different visual experience.







Aluminum rolling gates

## Aluminum rolling gates

Aluminum alloy roller shutterdoor high density, solid structure. Corrosion resistance, not easy for rust, hidden tubular motor silent operation.





## ALUMINUM ROLLING GATES

Different color is tie-in, relaxed and chic.



### ALUMINUM ROLLING GATES.

Open mode and manual and electric control, flashlight amphibious type etc, Electric condition optional infrared and blocked rebound, and ensure the safety functions, door and motor using life.



## ALUMINUM INDUSTRIAL DOORS



Aluminum alloy doors is widely applied in the workshop, factories and loading bays, garage. Convenient open mode, greatly saves time and improve labor efficiency.

## SCREENS DOORS MOTOR

### ROLLER SHUTTER MOTOR

- The motor is divided into general door motor, ac/dc power supply, reserve rolling door motor.



### BUILT-IN DUAL-PURPOSE (ELECTRIC & MANUAL) TUBULAR MOTOR

- The motor power condition can realize the function of manual door. Manual system can satisfy the door in any condition when the power is opened and closed.



Remote-controlled smart window machine



Manual clutch type



Manual regulating lever type



Dc reserve power tubular motor

### CONTROL ACCESSORIES

- Infrared Duishe controller, it has strong sensitivity, stability, work in a correct action, respond quick seconds, instruction book door whereabouts blocked or stop, Have 1-10 meters Duishe control.



Infrared Duishe controller



Remote control



Wall switch



Reserve power



# GARAGE DOOR

The roller shutter door features scientific design, exquisite craftsmanship, reliable safety, and an elegant, sophisticated appearance.


WILLIAMARCHI LIMITED  
Aluminum alloy doors  
and Windows series

Safe, exquisite,  
elegant, design

## ALUMINUM ALLOY DOORS AND WINDOWS SERIES




## ALUMINUM ALLOY DOORS AND WINDOWS SERIES




Shallow sand cream-colored 1




Light Smooth yellow 1




Matter white 1




Sand grain green




Shallow sand cream-colored 2




Light Smooth yellow 2




Matter white 2




Electrophoresis champagne 1




Red wood grain




Deep Sand Ash



Shallow sand cream-colored 3




Electrophoresis champagne 2



Matter white 3




Shallow sand cream-colored 4




Electrophoresis silvery white




## ALUMINUM ALLOY DOORS AND WINDOWS SERIES




Shallow sand cream-colored 5



Light Smooth yellow 3



Matter white 4



Light Smooth yellow 4



Matter white 5



Shallow sand cream-colored 6



egg white

## DOORS AND WINDOWS SERIES (OPTIONAL PART ORDER)




Light colorred wood grain




Yellow wood grain



Light orange




Aureate tensile filaments




Black




Gray



Dark green



Sand grain white




Color steel particle white








1




2



3



4



5



6



7



8



9



10



11



12



13



14



15



16



door piece  
sealing yards



door piece  
sealing yards



Single-layer through  
holesealing yards



door piece  
sealing yards



window piece  
sealing yards



aluminum alloy crystal  
door tong flowerbrake  
sealing yards



Guide groove screw  
holes blocked shots



censored bars  
sealing strip




scroll expan-  
sion circle



flashlight amphi-  
bious emergency lock



install board



shutter Windows  
sealing the endplate



shutter Windows receive  
around the device



tail plug belt plate



shutter Windows fittings




eight angle tubes and  
closed box



guide groove wheel and  
pulley limit board



AIUMINUM THROUGH HOIE VALVE SERIES



Rectangle throughhole  
specifications  
100mmx38mm




Vertical type



Cross type



little hole through hole  
specifications Diameter:3mm



aluminum alloy single-layer  
through holeColor:matte  
whiteother colors custo mizable



Strip of circulararc through  
hole specifications  
162mm x 41mm




Vertical type



Cross type



Medium hole specification  
33mm\*18mm



aluminum alloy single-layer  
through holeColor: matte  
whiteother colors custo mizable



Oval through hole  
specifications  
100mmx41mm



Vertical type



Cross type



Money hole specification  
30mm\*30mm



aluminum alloy single-layer  
through holeColor: matte  
whiteother colors custo mizable



GALUMINUM GENERAL PATTERN VALVE SERIES



Lantern-shaped lug



Vertical type



Cross type




Butterfly type lug




Vertical type




Cross type



straight strip type lug



Vertical type



Cross type



The new valve gatelifting lug



Cross type


ALUMINUM LUXURIOUS CRYSTALDOOR SERIES




Luxurious crystal tape-Aluminum alloybone special



Luxurious crystal tape-Aluminum alloybone special



Luxury crystal specifications:9#/12#16# tube Vertical assembly



Luxury crystal specifications:9#/12#16# tube Cross the assembly



## CRYSTAL GATE



## ALUMINUM ALLOY THROUGH-FLOWERED BRAKE





ALUMINUM ALLOY SINGLE-LAYER PERFORATED ROLLING SHUTTER DOOR



ALUMINUM ALLOY SINGLE-LAYER PERFORATED ROLLING SHUTTER DOOR

《DESIGN》METHOD

「A connoisseur of refined living, where a sense of sophistication coexists with warmth and gentleness.」



《HIGH-QUALITY》

Aluminum alloy single-layer perforated rolling curtain door with high quality Made of aluminum alloy, the profile is soft and hard, flexible and elastic has reached the domestic aluminum standard. Electrostatic powder coating on surface, Non-fading, non-layer, non-yellowing, durable. Perforated roll screen The doors are transparent and are widely used in shops, garages and other places.





CONDUCT A CLIENT VISIT

