



CUSTOMIZE PVC FENCE

WilliamArchi Limited

Add: Room606 Aohua business Buiding, Huarong Road, Longhua District, Shenzhen, China Factroy: No. 36 Sanlin Industry Zone, Xiaxi Pingzhou, Nanhai District, Foshan City, China

Email: info@williamarchi.com Whatsapp: +86 13088859386

Web: www.williamarchi.com

WilliamArchi Limited

CONTENTS

OUR VISION	02
ABOUT US	03
OUR ADVANTAGES	04
PRIVACY FENCE	05
SEMI - PRIVACY FENCE	06
CLOSED PICKET FENCE	09
PICKET FENCE	10
RANCH RAIL FENCE	13
OTHER PRODUCTS	15
GATES & ACCESSORIES	18
PVC PROFILES GALLERY	19
FENCE CAPS & ACCESSORIES	22
ALUMINUM STIFFENER GALLERY	23
PRODUCTS GALLERY	25
SHOWTECH COMPANY GALLERY	26

OUR VISION



Preface

About 10,000 years ago, the earth had 6.2 billion hectares of forests covering nearly half of the land, but now there are only more than 2 billion hectares left. The global tropical rain forest is decreasing at the rate of 17 million hectares (42 million acre) per year, which means we will lose forests equivalent to a tropical size of a football field every minute.

The global paper production and consumption has reached 320 million tons every year. If four trees with an average age of 20 years need to be cut down per ton of paper as raw materials, nearly 1.3 billion such trees will disappear from the earth in one year.

In history, forests once covered 2 / 3 of the earth's land area. After entering the 20th century, the rate of forest reduction has further accelerated. If this development continues, the world's tropical forest resources may be destroyed in a few years. We should pay attention to the impact of deforestation on the environment includes climate change, landslides and floods, as well as the most important biodiversity and habitat reduction.

Is reforestation useful? In fact, rebuilt forests and secondary forests can never completely replace the multi-layer trees and millions of organisms in the original rainforest, some of which have only been discovered now.

Our vision

Today, a large number of trees are still cut down for wooden fences every year. And we are sad to find that every 3 to 5 years, these wooden fences will be abandoned due to the nondurable, and more trees will be cut down for new wooden fences, round and round.

Williamarchi Fence brand founder Xiujun Xiang started Tree Protection Project since 2006. We joined the PVC fence manufacturing industry to prevent more tree be felling for wooden fences. And We will put 20% of our annual profit in afforestation. This project has been going on for 15 years, and by now we have planted more than 100,000 trees. In Northwest China, it was originally a desert area. Due to the 15 years of afforestation plan, we can see lush trees and clear rivers now. Williamarchi PVC products are harmless to the environment from raw materials to recycling.

PVC resin - The core material in vinyl products. We use calcium carbide synthesis technology to extract PVC resin. Compared with petroleum ethylene synthesis technology, our method does not consume oil resources, this process is pollution-free.

Manufacture - The production process of PVC products does not come into being any harmful substances. We heat and melt the raw materials to get the final products by injection and extrusion technology. Some leftover materials will be re-broken into raw materials for production. We use recycled water to cool down the whole system, that will not cause the consumption of water resources.

PVC products - We only use 100% virgin material to produce high quality products with UV resistance and lifetime warranty, which means our products do not blister, peel, corrode, rot or weathering. With time goes by, our products keep durable and do not decompose into the soil. In the same life cycle, wooden fences have to replace parts frequently. This is the most significant thing we do to prevent trees from being cut down.

Maintenance - In order to prevent insects from corroding wood, wooden fences need to paint the surface intermittently, similarly to metal fences prevent rust. The formaldehyde in paint does great harm to the environment and human body. Williamarchi high quality products no need to painted surface. Regular maintenance just water cleaning.

Recycling - If Williamarchi PVC fences need to be taken down, they can be recycled into other plastic products, such as hotel access card, or be used for thermal power generation, which has achieved the purpose of resource recovery.

We call on more people to join the PVC fence industry, and will spare no effort to provide all the help we can do. Let us contribute to the protection of the earth, for our better future.




About us

We are a professional PVC fence manufacturer from China, owning the brands WilliamArchi Outdoor Products & Gohigh Plastic since 2005. The brands founder Xiujun Xiang has been committed to promoting the development of China's PVC fence industry over 15 years. We focus on providing great customer service and supplying high quality PVC products to the world.

Our main products are PVC profiles, different PVC fence styles for home and farm, fence accessories such as caps and hardware, PVC decking and PVC garden products kits.

We took our passion, creating innovative, quality products that make you beautiful home. We fence your dreams.

COLORS & TEXTURES AVAILABLE



OUR ADVANTAGES

GREAT CUSTOMER SERVICE IS THE CORE OF OUR BUSINESS.

HIGH STANDARD PRODUCTS

√Only use 100% virgin material to produce high quality products, meet ASTM F964 and D1748 specification.

√Add in 10 parts titanium dioxide (TiO2), making PVC products UV resistance.

√SGS, ISO9001 certifications.

√Lifetime limited warranty. Showtech PVC products never fading, blister, peel, corrode or rot.



LONG TERM STEADY SUPPLY

√Manufacturing and exporting PVC products over 15 years, supply to more than 30 countries.

√Annual output of PVC profiles amounts to 8000 tons.

√Complete supply of accessories, one-stop service.

√Deep cooperation with shipping companies, fast and on time delivery.



DESIGN, RESEARCH AND DEVELOPMENT

✓ Continuously launch new products to hit the market.

√With strong ability to build new molds independently.

√Provide various personalized customized services.

3

√ODM, OEM services are available. Professional suggestions.




31

PRIVACY FENCE

ST001 - FULL PRIVACY FENCE

RECOMMENDED SIZE: 6' HIGH X 8' WIDE






Contents	
Line Post	
Pocket Rail	
T&G	
U - Channel	
Aluminum Insert	
Post Cap	

ST002 - PRIVACY FENCE WITH LATTICE TOP

RECOMMENDED SIZE: 6' HIGH X 8' WIDE






Conten	ts
Line Post	Lattice
Lattice Rail	T&G Rail
Double Rail	T&G
Aluminum Insert	Post Cap
U - Channel fo	or Lattice
U - Channel fo	or T&G

ST003 - PRIVACY FENCE WITH SCALLOPED PICKET TOP

RECOMMENDED SIZE: 6' HIGH X 8' WIDE





C	ontents
Li	ne Post
Тор	Hollow Rail
Po	ocket Rail
T&G	U - Channel
Picket	Aluminum Insert
Post Cap	Picket Cap



Arch fence residential area



Mixed color fence



Privacy fence with aluminum picket




PRIVACY FENCE

ST004 - PRIVACY FENCE WITH CLOSED PICKET TOP

RECOMMENDED SIZE: 6' HIGH X 8' WIDE






C	ontents	
Line Post		
Тор	Hollow Rail	
P	ocket Rail	
T&G	U - Channel	
Picket	Aluminum Insert	
Post Cap	Picket cap	

ST005 - PRIVACY FENCE WITH PICKET TOP

RECOMMENDED SIZE: 6' HIGH X 8' WIDE






C	ontents
l	ine Post
Тор	Hollow Rail
Р	ocket Rail
T&G	U - Channel
Picket	Aluminum Insert
Post Cap	Picket cap

ST006 - HIGH PRIVACY FENCE

RECOMMENDED SIZE: 8' HIGH X 8' WIDE





Contents
Line Post
Pocket Rail
T&G
U - Channel
Aluminum Insert
Post Cap

Other Styles

Privacy fence with arch picket



Privacy fence with cross lattice



Privacy fence with scalloped picket




SEMI-PRIVACY FENCE

ST101 - SHADOWBOX

RECOMMENDED SIZE: 6' HIGH X 8' WIDE






Contents Line Post Hollow Rail Middle Rail Picket Aluminum Insert Post Cap

ST102 - SEMI-PRIVACY FENCE






Contents Line Post Ribbed Rail Middle hollow Rail Picket Aluminum Insert Post Cap

ST103 - SEMI-PRIVACY FENCE

RECOMMENDED SIZE: 6' HIGH X 8' WIDE





Contents Line Post Ribbed Rail Middle hollow Rail Picket **Aluminum Insert** Post Cap

Other Styles

High pickets



Horizontal mixed pickets



Horizontal shadowbox




SEMI-PRIVACY FENCE

ST108 - SEMI-PRIVACY FENCE


RECOMMENDED SIZE: 6' HIGH X 8' WIDE





ST109 - BASKET WEAVE FENCE






ST110 - SHADES

RECOMMENDED SIZE: 68" HIGH X 8' WIDE





Contents Line Post Picket Post Cap

Other Styles

Mixed pickets



Semi privacy with lattice top



Semi privacy with picket top




CLOSED PICKET FENCE

ST201 - CLOSED PICKET FENCE

RECOMMENDED SIZE: 4' HIGH X 8' WIDE







Contents	
Line Post	
Hollow Rail	
Ribbed Rail	
Picket	
Aluminum Insert	
Post Cap	

ST202 - CLOSED PICKET FENCE

RECOMMENDED SIZE: 4' HIGH X 8' WIDE






Contents	
Line Post	
Hollow rail	
Ribbed Rail	
Picket	
Aluminum Insert	
Post Cap	

ST206 - CLOSED PICKET FENCE

RECOMMENDED SIZE: 4' HIGH X 8' WIDE





Contents	H
Line Post	
Hollow rail	
Ribbed Rail	
Picket	
Aluminum Insert	
Post Cap	

Other Styles

Mixed pickets



Mixed pickets



1.5" x 7/8" picket fence




PICKET FENCE

ST304 - STRAIGHT PICKET FENCE

RECOMMENDED SIZE: 4' HIGH X 8' WIDE






Cont	ents	
Line Post		
Hollow	v Rail	
Ribbed Rail		
Pick	cet	
Aluminur	m Insert	
Picket Cap	Post Cap	

ST305 - SCALLOPED PICKET FENCE

RECOMMENDED SIZE: 4' HIGH X 8' WIDE






Cont	ents
Line F	Post
Hollov	w rail
Ribbed	d Rail
Pick	cet
Aluminum Insert	
Picket Cap	Post Cap

ST314 - ARCH PICKET FENCE

RECOMMENDED SIZE: 4' HIGH X 8' WIDE





Cont	ents		
Line Post			
Hollov	w rail		
Ribbee	d Rail		
Picket			
Aluminum Insert			
Picket Cap Post Ca			

Other Styles

Free design



Scalloped Picket Fence



1.5" x 7/8" picket fence




PICKET FENCE

ST301 - STRAIGHT PICKET FENCE

RECOMMENDED SIZE: 4' HIGH X 8' WIDE






ents				
ost				
/ Rail				
l Rail				
et				
m Insert				
Post Cap				

ST302 - SCALLOPED PICKET FENCE

RECOMMENDED SIZE: 4' HIGH X 8' WIDE







Contents					
Line Post					
Hollov	v rail				
Ribbed Rail					
Picket					
Aluminum Insert					
Picket Cap	Post Cap				
Ribbed Pick Aluminur	Rail cet m Insert				

ST303 - ARCH PICKET FENCE

RECOMMENDED SIZE : 4' HIGH X 8' WIDE





Contents				
Line Post				
Hollow rail				
Ribbed Rail				
Picket				
Aluminum Insert				
Post Cap				

Other Styles

Free design



High picket



Mixed color




PICKET FENCE

ST315 - STRAIGHT PICKET FENCE

RECOMMENDED SIZE: 4' HIGH X 8' WIDE






Cont	ents		
Line F	ost		
Hollow	v Rail		
Ribbed Rail			
Picket			
Aluminum Insert			
Picket Cap Post Cap			

ST316 - SCALLOPED PICKET FENCE

RECOMMENDED SIZE: 4' HIGH X 8' WIDE






Cont	ents		
Line Post			
Hollow rail			
Ribbed Rail			
Picket			
Aluminu	m Insert		
Picket Cap Post Ca			

ST317 - ARCH PICKET FENCE

RECOMMENDED SIZE: 4' HIGH X 8' WIDE





Cont	ents		
Line Post			
Hollow rail			
Ribbed Rail			
Picket			
Aluminum Insert			
Picket Cap Post Cap			

Other Styles

Free design



Corner picket



Short picket




RANCH RAIL FENCE

ST401 - 2 RAIL FENCE

RECOMMENDED SIZE: 3' HIGH X 8' WIDE






ST402 - 3 RAIL FENCE


RECOMMENDED SIZE: 50" HIGH X 8' WIDE






ST403 - 4 RAIL FENCE

RECOMMENDED SIZE: 5' HIGH X 8' WIDE





Other Styles

Corner fence



Crossbuck 5 rails



Fence with electric




RANCH RAIL FENCE

ST404 - CROSSBUCK FENCE


RECOMMENDED SIZE: 54" HIGH X 8' WIDE






ST405 - 2 RAIL DIAMOND FENCE

RECOMMENDED SIZE: 3' HIGH X 8' WIDE






ST406 - 3 RAIL DIAMOND FENCE

RECOMMENDED SIZE :50" HIGH X 8' WIDE









Flexible fence



Protable dressage arena




OTHER PRODUCTS

ST501 - TEMPORARY FENCE

RECOMMENDED SIZE: 39.5" HIGH X 79" WIDE






Contents	
Post with Rings	Ī
Fence with hooks	1
Post Mounting	
Post Cap	

ST601 - LATTICE FENCE

RECOMMENDED SIZE: 4' HIGH X 8' WIDE






	Contents
	Line Post
	Lattice Rail
	Lattice
U - 0	Channel for Lattice
Α	luminum Insert
	Post Cap

ST801 - RAILING

RECOMMENDED SIZE: 4' HIGH X 6' WIDE





tents
Post
Rail
ed Rail
ket
Aluminum Insert
Post Trim

Other Styles

Garbage shelter



PVC railing stairs



Railing with aluminum picket



OTHER PRODUCTS

DRESSAGE ARENA

DRESSAGE ARENA LETTERS







PORTABLE DRESSAGE ARENAS



SHOW JUMPS









PLANTER BOX





SQUARE PVC PLANTER BOX

ASSEMBLED SIZE: 17.7"X17.7"X17.7" 45CMX45CMX45CM



RECTANGLE PVC PLANTER BOX

ASSEMBLED SIZE: 36.2"X17.7"X17.7" 92CMX45CMX45CM










DETAILS


151

OTHER PRODUCTS



ST-D01-SOLID





ST-D03-HOLLOW

OUTDOOR PVC DECKING





ST-D02-GROOVE



DECKING TEXTURES COLORS

GATES&ACCESSORIES







PRIVACY FENCE SINGLE GATE

PRIVACY FENCE DOUBLE GATE





PICKET FENCE GATE

HORSE FENCE SINGLE GATE

HORSE FENCE DOUBLE GATE











BLACK HINGES

BLACK LATCH




WHITE HINGES

WHITE LATCH

WHITE DROP ROD

PVC PROFILES GALLERY >>>>





5"X5" POST

4"X4" POST











3.5"X3.5" POST


2"X7"


POCKET RAIL

3"X3" POST













1.5"X3.5" LATTICE RAIL























LATTICE RAIL





6"X7/8"



























FOR T&G



FOR LATTICE



RAIL TOP





PVC PROFILES DATA >>>>>>


CODE	ITEM NO.	DRAWING	SIZE (INCH)	THICKNESS (INCH)	NOTE
	5050 POST		5.0X5.0	0.15	EMBOSSED AVAILABLE
1	5050 POST HEAVY DUTY		5.0X5.0	0.225	EMBOSSED AVAILABLE
2	4040 POST		4.0X4.0	0.135	EMBOSSED AVAILABLE
3	3535 POST		3.5X3.5	0.135	EMBOSSED AVAILABLE
4	3030 POST		3.0X3.0	0.10	
5	1555 POCKET RAIL		1.5X5.5	0.08	
6	2060 POCKET RAIL		2.0X6.0	0.08	
7	2060 DECORATION RAIL		2.0X6.0	0.09	
8	2060 AI POCKET RAIL		2.0X6.0	0.08	EMBOSSED AVAILABLE
9	2070 POCKET RAIL		2.0X7.0	0.09	
10	17555 POCKET RAIL		1.75X5.5	0.10	
11	17565 POCKET RAIL		1.75X6.5	0.10	ONLY EMBOSSED
12	1530 POCKET RAIL		1.5X3.0	0.08	
13	1535 LATTICE RAIL		1.5X3.5	0.08	
14	1555 LATTICE RAIL		1.5X5.5	0.09	
15	1555 DOUBLE POCKET RAIL		1.5X5.5	0.08	
16	2035 HOLLOW RAIL		2.0X3.5	0.09	EMBOSSED AVAILABLE
17	2035 RIBBED RAIL		2.0X3.5	0.11	EMBOSSED AVAILABLE
	1555 RIBBED RAIL		1.5X5.5	0.08	
18	1555 RIBBED RAIL HEAVY DUTY		1.5X5.5	0.11	

PVC PROFILES DATA >>>>>>

CODE	ITEM NO.	DRAWING	SIZE (INCH)	THICKNESS (INCH)	NOTE
	2060 RIBBED RAIL		2.0X6.0	0.09	EMBOSSED AVAILABLE
20	2060 RIBBED RAIL HEAVY DUTY		2.0X6.0	0.10	EMBOSSED AVAILABLE
21	3535 T RAIL		3.5X3.5	0.11	
22	6078 T&G		6.0X7/8	0.05	EMBOSSED AVAILABLE
	6078 T&G LIGHT DUTY	21111	6.0X7/8	0.04	
23	11378 T&G 1GAP		11.3X7/8	0.05	
24	11378 T&G 2GAPS	211111111111111111111111111111111111111	11.3X7/8	0.05	ONLY LOCKABLE AVAILABLE
25	1578 PICKET		1.5X7/8	0.07	
26	1515 PICKET		1.5X1.5	0.08	EMBOSSED AVAILABLE
27	3078 PICKET		3.0X7/8	0.08	
28	6078 PICKET		6.0X7/8	0.05	
29	U-CHANNEL FOR T&G		1.08X1.14	0.05	EMBOSSED AVAILABLE
25	DECORATION U-CHANNEL FOR T&G		1.18X1.18	0.05	
30	U-CHANNEL FOR LATTICE		0.8X1.46	0.06	EMBOSSED AVAILABLE
31	175 RAIL CAP		1.53X3.42	0.06	
32	20 RAIL CAP	\bigoplus	1.15X3.3	0.07	
33	LATTICE SLAT		1.5X1/4	0.04	EMBOSSED AVAILABLE










5"/4"/3.5"/3" FLAT CAP

5"/4" INTERNAL FLAT CAP

5"/4" NEW ENGLAND CAP



5"/4" NEW ENGLAND 4" ENGLAND **CAP SQUARE TOP**





5"/4" GOTHIC CAP




5" FEDERATION CAP



5"/4" SOLAR CAP


CAP FLAT TOP








1.5"X7/8" SHARP CAP







2"X6"





2"X3.5" FLAT CAP




2"X3.5" **DECORATION CAP**



1.5"X5.5"







3.5"X3.5"

T RAIL BRACKET




3.5"X3.5"






2"X3.5" STAIR BRACKET












2"X6" GATE SOCKET








1.5"X5.5"











HOLE PLUG

COLLAR

GATE FILLER

NOTCHING TOOL

NOTCHING TOOL

ALUMINUM STIFFENER GALLERY





5050AL-E

5050AL-L







>>>>





4040AL-E


4040AL-L

4040AL-G

2060AL-S









1555AL



2060AL-L

17555AL

2035AL

2035AL-R

2035

2035AL-H



2035AL-U









GALVANIZED PIPE

5" FLANGE POST

4" FLANGE POST

EXPANSION SCREW

ALUMINUM STIFFENER DATA >>>>>>

CODE	PROFILES	DRAWING	SIZE (INCH)	THICKNESS (INCH)	MATCHED PROFILES
1	5050AL-E		4.63X4.63	0.07	5" END POST
	5050AL-TH		4.53X4.53	0.06	5" END POST HEAVY DUTY
2	5050AL-L		4.63X4.63	0.07	5" LINE POST
3	4040AL-E		3.62X3.62	0.06	4" END POST
4	4040AL-L		3.62X3.62	0.06	4" LINE POST

ALUMINUM STIFFENER DATA >>>>>>

CODE	PROFILES	DRAWING	SIZE (INCH)	THICKNESS (INCH)	MATCHED PROFILES
5	4040AL-G		3.62X3.62	0.07	4" POST GATE MAKING
6	1555AL	I	1.26X1.69	0.07	1.5"X5.5" POCKET RAIL 1.5"X5.5" RIBBED RAIL 1.5"X5.5" LATTICE RAIL
7	2060AL-S	I	1.77X1.30	0.08	2"X6" POCKET RAIL
8	2060AL-L	I	1.77X1.83	0.07	2"X6" RIBBED RAIL 2"X6" DECORATION RAIL
9	17555AL	I	1.77X1.5	0.08	1.75"X5.5" POCKET RAIL 1.75"X6.5" POCKET RAIL
10	2035AL	I	1.73X1.67	0.07	2"X3.5" RIBBED RAIL 2"X6.75" POCKET RAIL 2"X7" POCKET RAIL
11	2035AL-R	\Box	1.73X1.65	0.08	2"X3.5" RIBBED RAIL 2"X6.75" POCKET RAIL 2"X7" POCKET RAIL
12	2035AL-H		3.17X1.79	0.06	2"X3.5" HOLLOW RAIL 3.5"X3.5" T RAIL 3.5"X3.5" POST
13	2035AL-H		3.23X1.73	0.06	2"X3.5" HOLLOW RAIL 3.5"X3.5" T RAIL 3.5"X3.5" POST
14	GALVANIZED PIPE		2.375	0.09	5" POST
15	5" FLANGE POST-LINE		4.65X4.65	0.10	5" FLANGE POST
	5" FLANGE POST-BASE		4.65X4.65	0.39	5" FLANGE POST
16	4" FLANGE POST-LINE		3.68X3.68	0.12	4" FLANGE POST
	4" FLANGE POST-CORNER		3.68X3.68	0.12	4" FLANGE POST
	4" FLANGE POST-BASE		3.68X3.68	0.39	4" FLANGE POST

PRODUCTS GALLERY





3 RAIL FARM FENCE

PRIVACY FENCE MIXED WITH SEMI PRIVACY FENCE





SEMI - PRIVACY FENCE WITH PICKET TOP

POOL FENCE







PRIVACY FENCE SINGLE GATE

PICKET FENCE ON CONCRETE

TEMPORARY FENCE









251